

Engineering progress
Enhancing lives

Maintenance tips

Visage REHAU Windows & Doors
www.visageonline.co.uk



REHAU

Visage®



Follow us
[visageonline](https://twitter.com/visageonline)



Find us
[VisageOnlineUK](https://www.facebook.com/VisageOnlineUK)



Visit us
www.visageonline.co.uk

Visage, Shepley House, Outram Road, Dukinfield SK16 4XE

This document is protected by copyright. all rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

window.rehau.uk

© REHAU Ltd 06.2023



Maintenance advice

Visage REHAU Windows & Doors

Visage REHAU windows and doors require very little maintenance, however here are a few tips to ensure that your new UPVC windows and doors retain their value and appearance.



Ventilation tips

Ventilation is important and provides air circulation within your home. Correct ventilation also reduces condensation.

- Open a window (be mindful of security).
- Fit a ventilation or extraction unit in the kitchen and bathroom.
- Fit wall vents to provide air flow.
- Trickle vents provide improved background ventilation whilst minimising heat loss.



Fitting maintenance tips

Preserving the mechanisms, locks and hinges is recommended to prolong the life of working parts of your window or door.

- All moving parts of fittings should be lightly oiled once or twice a year to ensure that windows and doors always open smoothly.
- Most fittings have a built-in adjustment facility, if your window or door begins to stick please contact your installer who can make the necessary adjustments.



Cleaning tips

Cleaning your new windows or doors is easy, but you should follow these tips to maintain the life and appearance of your product.

- Slightly dirty frames can be cleaned with warm water and washing up liquid.
- Abrasive cleaners and dry cleaning with a duster should be avoided.
- Cleaning solutions and polishes that contain solvents or thinners should not be used. Aggressive chemicals like these will attack the frame and seals.



proof approval

version:

5

date:

20/06/23

agency check:



designer/
artworker



studio



account manager

Please check this proof carefully for errors and omissions. Once you have reviewed this document, check one of the following boxes as appropriate, sign where indicated and return via e-mail.

☐

approved

☐

amend
& proceed

☐

amend
& re-submit

signature: